

Declaration of conformity

We: **TECNO MOBILE LIMITED**

(Name of manufacturer)

FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG

(Address)

declare under our own responsibility that the product

Product name : **Mobile Phone**

Model No.: **LH8n**

Trademark: **TECNO**

(Including product name, model No. descriptions, versions and supplementary characteristics)

to which this declaration refers conforms with the relevant standards or other standardizing documents

3.1a Health:

EN 50360:2017

EN 50566:2017

EN 62479:2010

3.1a Safety:

EN62368-1:2014+A11:2017

EN IEC 62368-1:2020+A11:2020

Article 3.1b:

ETSI EN 301 489-1 V2.2.3 (2019-11)

ETSI EN 301 489-3 V2.3.2 (2023-01)

ETSI EN 301 489-17 V3.2.4 (2020-09)

ETSI EN 301 489-19 V2.2.1 (2022-09)

ETSI EN 301 489-52 V1.2.1 (2021-11)

EN 55032:2015+A11:2020

EN 55035:2017+A11:2020

EN IEC 61000-3-2:2019+A1:2021

EN 61000-3-3:2013+A1:2019+A2:2021

3.2 Radio:

ETSI EN 301 511 V12.5.1 (2017-03)
ETSI EN 301 908-1 V15.2.1 (2023-01)
ETSI EN 301 908-2 V13.1.1 (2020-06)
ETSI EN 301 908-13 V13.2.1 (2022-02)
ETSI TS 138 101-1 V17.9.0 (2023-05)
ETSI TS 138 101-3 V17.9.0 (2023-05)
ETSI TS 138 521-1 V17.7.0 (2023-02)
ETSI TS 138 521-3 V17.8.0 (2023-05)
ETSI EN 300 328 V2.2.2 (2019-07)
ETSI EN 303 345-1 V1.1.1 (2019-06)
ETSI EN 303 345-3 V1.1.1 (2021-06)
ETSI EN 303 413 V1.2.1 (2021-04)
ETSI EN 301 893 V2.1.1 (2017-05)
ETSI EN 300 440 V2.2.1 (2018-07)
ETSI EN 300 330 V2.1.1 (2017-02)

3.3(g)Emergency Services: [DELEGATED REGULATION \(EU\) 2019/320](#)

The following accessories and components, including software, allow the object of the declaration described above to operate as intended and in conformity with this EU declaration of conformity:

Software Version: [LH8n-H333](#)

Hardware Version: [V1.4](#)

Adapter1: [U680TEA](#)

Input: 100-240V~ 50/60Hz 2.0A

Output: 5.0V $\overline{\text{---}}$ 2.0A or 11.0V $\overline{\text{---}}$ 6.2A or 4.0-21.0V $\overline{\text{---}}$ 3.25A 68.0W MAX

Adapter2: [U680TKA](#)

Input:100-240V ~50/60Hz 2.0A

Output: 5.0V $\overline{\text{---}}$ 2.0A or 11.0V $\overline{\text{---}}$ 6.2A or 4.0-21.0V $\overline{\text{---}}$ 3.25A 68.0W MAX

Rechargeable Li-ion Polymer Battery : BL-49PT

Rated Voltage: 3.87V

Rated Capacity: 4900mAh/18.96Wh

Typical Capacity: 5000mAh/19.35Wh

Limited Charge Voltage: 4.45V

1. Notified body involved: TÜV Rheinland LGA Products GmbH, 0197

2. Performed conformity assessment according to Directive Annex III Module B of the 2014/53/EU Radio Equipment Directive (RED) and issued the EU-type examination certificate.


3. This declaration of conformity is issued under the sole responsibility of the manufacturer.

4. The object of the declaration described above is in conformity with the relevant Union harmonization legislation: Directive 2014/53/EU

Other Union harmonization legislation where applicable.

Place and date of issue (of this DOC): Shenzhen/2023-05-25

Nengyong.Wu/ Manager

A handwritten signature in black ink that reads "nengyong. wu". The signature is written in a cursive, lowercase style.

(Name/Title)

(Name and signature of person responsible)